



Electronic Data Interchange

856 – Ship Notice/Manifest
(VICS Version - 4010)

PICK PACK STRUCTURE

September 2012

Powered By:



Purpose

This document provides detailed guidelines and conventions for implementing electronic ship notice/manifests with Boscov's Department Stores. Our 856 Ship Notice Manifest, as detailed in this document, will provide you with all of the information necessary to fill our requirements.

These guidelines comply with published VICS standards for EDI version 4010 for all data elements and segments.

Mandatory segments and elements are always required on every document. Optional segments and elements that are required by Boscov's Department Stores are marked as "Must Use". Segment usage is marked at the top of each page under Usage. Element usage is marked in the far-left column beside each element. If the column is blank, the element is optional. Information in the Attributes column is from the VICS standards and is provided for reference only. Trading Partners must adhere to our requirements as indicated by "Must Use".

Business Rules

Boscov's prefers both Bill of Lading Number and Carrier Reference Number (PRO/Invoice) in REF segments. At a minimum, Bill of Lading Number must be sent.

Boscov's prefers both Shipped Date and Current Schedule Delivery Date in DTM segments. At a minimum, Shipped Date must be sent.

At a minimum, UPC or EAN code must be sent in LIN.

Contacts

Transaction Testing: GXS Inc. 1.877.446.6847 Select Option 2

Production Support: GXS Inc. 1.877.446.6847 Select Option 2

Boscov's Department Stores: ediadmin@boscovs.com

Communication IDs

Production

S/R ID: 01/014492501

VAN: Inovis, VANS, HAMAIL

Delimiters

Element Separator - “*”

(HEX “2A” in ASCII) (HEX “5C” in EBCDIC)

Component (Sub Element) Separator - “>”

(HEX “3E” in ASCII) (HEX “6E” in EBCDIC)

Segment Terminator - “~”

(HEX “7E” in ASCII) (HEX “A1” in EBCDIC)

Need an EDI Solution?

We have selected GXS Inc. to administer our EDI operations and to enable our trading partners. For those trading partners who do not trade documents electronically, GXS offers a number of electronic commerce solutions to assist you.

For Service Bureau, call 1-800-872-8255. Select Option 2, then Option 3.

For all other solutions, call 1-800-872-8255. Select Option 1, then Option 4.

Boscov's Department Stores 856 Ship Notice/Manifest

Functional Group ID=**SH**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

Envelope:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
6-7	010	ISA	Interchange Control Header	M	1		
8	020	GS	Functional Group Header	M	1		

Heading:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
9	010	ST	Transaction Set Header	M	1		
10	020	BSN	Beginning Segment for Ship Notice	M	1		

Detail:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - HL			200000	
11	010	HL	Hierarchical Level - Shipment	M	1		c1
12-13	110	TD1	Carrier Details (Quantity and Weight)	O	20		
14-15	120	TD5	Carrier Details (Routing Sequence/Transit Time)	O	12		
16	130	TD3	Carrier Details (Equipment)	O	12		
17-19	150	REF	Reference Identification	O	>1		
20-21	200	DTM	Date/Time Reference	O	10		
22	210	FOB	F.O.B. Related Instructions	O	1		
			LOOP ID - N1 (Ship From)			200	
23	220	N1	Name	O	1		
24	240	N3	Address Information	O	2		
25	250	N4	Geographic Location	O	1		
			LOOP ID - N1 (Ship To)			200	
26	220	N1	Name	O	1		
27	240	N3	Address Information	O	2		
28	250	N4	Geographic Location	O	1		

LOOP ID - HL			200000		
29	010	HL	Hierarchical Level - Order	M	1
30	050	PRF	Purchase Order Reference	O	1
31-32	150	REF	Reference Identification	O	>1
LOOP ID - N1			200		
33	220	N1	Name	O	1
LOOP ID - HL			200000		
34	010	HL	Hierarchical Level - Tare	M	1
35	145	TSD	Trailer Shipment Details	O	1
36	190	MAN	Marks and Numbers	O	>1
37	215	PAL	Pallet Information	O	1
LOOP ID - HL			200000		
38	010	HL	Hierarchical Level - Pack	M	1
39	190	MAN	Marks and Numbers	O	>1
LOOP ID - HL			200000		
40	010	HL	Hierarchical Level - Item	M	1
41-42	020	LIN	Item Identification	O	1
43	030	SN1	Item Detail (Shipment)	O	1

Summary:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
44	010	CTT	Transaction Totals	O	1		
45	020	SE	Transaction Set Trailer	M	1		

Envelope:

<u>Page No.</u>	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
46	030	GE	Functional Group Trailer	M	1		
47	040	IEA	Interchange Control Trailer	M	1		

Transaction Set Notes

1. Number of line items (CTT01) is the accumulation of the number of HL segments. If used, hash total (CTT02) is the sum of the value of units shipped (SN102) for each SN1 segment.

Transaction Set Comments

1. The HL segment is the only mandatory segment within the HL loop, and by itself, the HL segment has no meaning.

Segment: **ISA** Interchange Control Header
Position: 010
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ISA01	I01	Authorization Information Qualifier Code to identify the type of information in the Authorization Information 00 No Authorization Information Present (No Meaningful Information in I02)	M ID 2/2
Must Use	ISA02	I02	Authorization Information Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01) " " 10 blank spaces	M AN 10/10
Must Use	ISA03	I03	Security Information Qualifier Code to identify the type of information in the Security Information 00 No Security Information Present (No Meaningful Information in I04)	M ID 2/2
Must Use	ISA04	I04	Security Information This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03) " " 10 blank spaces	M AN 10/10
Must Use	ISA05	I05	Interchange ID Qualifier Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified Refer to 004010 Data Element Dictionary for acceptable code values.	M ID 2/2
Must Use	ISA06	I06	Interchange Sender ID Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element	M AN 15/15
Must Use	ISA07	I05	Interchange ID Qualifier Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified 01 Duns (Dun & Bradstreet)	M ID 2/2
Must Use	ISA08	I07	Interchange Receiver ID Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them Boscov's Department Stores ID is "014492501"	M AN 15/15
Must Use	ISA09	I08	Interchange Date Date of the interchange	M DT 6/6
Must Use	ISA10	I09	Interchange Time Time of the interchange	M TM 4/4
Must Use	ISA11	I10	Interchange Control Standards Identifier Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer U U.S. EDI Community of ASC X12, TDCC, and UCS	M ID 1/1

Must Use	ISA12	I11	Interchange Control Version Number	M ID 5/5
			This version number covers the interchange control segments 00401 Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997	
Must Use	ISA13	I12	Interchange Control Number	M N0 9/9
			A control number assigned by the interchange sender	
Must Use	ISA14	I13	Acknowledgment Requested	M ID 1/1
			Code sent by the sender to request an interchange acknowledgment (TA1) 0 No Acknowledgment Requested	
Must Use	ISA15	I14	Usage Indicator	M ID 1/1
			Code to indicate whether data enclosed by this interchange envelope is test, production or information P Production Data T Test Data	
Must Use	ISA16	I15	Component Element Separator	M AN 1/1
			Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator > The value identified for retail use	

Segment:	GS Functional Group Header
Position:	020
Loop:	
Level:	
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the beginning of a functional group and to provide control information
Syntax Notes:	
Semantic Notes:	<ol style="list-style-type: none"> 1 GS04 is the group date. 2 GS05 is the group time. 3 The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.
Comments:	<ol style="list-style-type: none"> 1 A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	GS01	479	Functional Identifier Code Code identifying a group of application related transaction sets SH Ship Notice/Manifest (856)	M ID 2/2
Must Use	GS02	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners	M AN 2/15
Must Use	GS03	124	Application Receiver's Code Code identifying party receiving transmission; codes agreed to by trading partners	M AN 2/15
Must Use	GS04	373	Date Date expressed as CCYYMMDD	M DT 8/8
Must Use	GS05	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M TM 4/8
Must Use	GS06	28	Group Control Number Assigned number originated and maintained by the sender	M N0 1/9
Must Use	GS07	455	Responsible Agency Code Code used in conjunction with Data Element 480 to identify the issuer of the standard X Accredited Standards Committee X12	M ID 1/2
Must Use	GS08	480	Version / Release / Industry Identifier Code Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed 004010VICS Draft Standards Approved for Publication by ASC X12 procedures Review Board through October 1997, Version 4, Release 1, the VICS EDI subset	M AN 1/12

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Example:
 ST*856*856000706~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 856 Ship Notice/Manifest	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set The number is sequentially assigned by the sender, starting with one within each functional group. For each functional group, the first transaction set control number will be 0001 and incremented by one for each additional transaction set within the group.	M AN 4/9

Segment:	BSN Beginning Segment for Ship Notice
Position:	020
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To transmit identifying numbers, dates, and other basic data relating to the transaction set
Syntax Notes:	1 If BSN07 is present, then BSN06 is required.
Semantic Notes:	1 BSN03 is the date the shipment transaction set is created. 2 BSN04 is the time the shipment transaction set is created. 3 BSN06 is limited to shipment related codes.
Comments:	1 BSN06 and BSN07 differentiate the functionality of use for the transaction set.
Notes:	In some implementations, it may be appropriate to omit the unit load level and packaging levels, i.e., tare and pack, from the transaction set. Depending on the retailer's receiving systems, carton identification may not be required. Code 0004 in BSN05 indicates the use of a hierarchical structure that does not include a unit load level or any packaging levels.

Example:

BSN*00*007111*20001031*0745*0001~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	BSN01	353 Transaction Set Purpose Code Code identifying purpose of transaction set 00 Original	M ID 2/2
Must Use	BSN02	396 Shipment Identification A unique control number assigned by the original shipper to identify a specific shipment	M AN 2/30
Must Use	BSN03	373 Date Date expressed as CCYYMMDD	M DT 8/8
Must Use	BSN04	337 Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M TM 4/8
Must Use	BSN05	1005 Hierarchical Structure Code Code indicating the hierarchical application structure of a transaction set that utilizes the HL segment to define the structure of the transaction set 0001 Shipment, Order, Packaging, Item Pick and Pack Structure	O ID 4/4

Segment: **HL** Hierarchical Level - Shipment
Position: 010
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:**Semantic Notes:****Comments:**

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Notes:

The HL segment is used to identify levels of detail information using a hierarchical structure.

HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Example:

HL*1**S~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	HL01	628 Hierarchical ID Number	M AN 1/12
		A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	
		The value for this level (shipment) is 1.	
Must Use	HL03	735 Hierarchical Level Code	M ID 1/2
		Code defining the characteristic of a level in a hierarchical structure	
		S Shipment	

Segment: **TD1** Carrier Details (Quantity and Weight)
Position: 110
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 20
Purpose: To specify the transportation details relative to commodity, weight, and quantity
Syntax Notes:

- 1 If TD101 is present, then TD102 is required.
- 2 If TD103 is present, then TD104 is required.
- 3 If TD106 is present, then TD107 is required.
- 4 If either TD107 or TD108 is present, then the other is required.
- 5 If either TD109 or TD110 is present, then the other is required.

Semantic Notes:**Comments:**

Notes: This segment, at the shipment level, is used to specify total containers and gross weight of the shipment.

Example:

TD1*CTN25*24****G*147*LB~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	TD101	103	Packaging Code	O AN 3/5
			Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required	
			BAG Bag	
			CTN Carton	
			MIX Mixed Container Types	
			More than one type of container is included in a shipment (shipment could consist of 3 pieces that include 1 box, 1 crate, and 1 basket)	
			Can be used only with code 71 in Part 2	
			PLT Pallet	
			SLP Slip Sheet	
			Shipping containers utilizing slip sheets, which are cardboard platforms used to hold product for storage or transportation	
			SRW Shrink Wrap	
			In packaging, a method of securing a unit load by placing a large "bag" of plastic film over the components and applying heat to induce shrinkage and cause the bag to tighten around the contents	
			01 Aluminum	
			25 Corrugated or Solid	
			31 Fibre	
			58 Metal	
			71 Not Otherwise Specified	
			76 Paper	
			79 Plastic	
			91 Stainless Steel	
			94 Wood	
Must Use	TD102	80	Lading Quantity	X NO 1/7
			Number of units (pieces) of the lading commodity	
			The number of packages in the shipment as described in TD101	
Must Use	TD106	187	Weight Qualifier	O ID 1/2
			Code defining the type of weight	
			G Gross Weight	
Must Use	TD107	81	Weight	X R 1/10

Must Use	TD108	355	Numeric value of weight Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken See Section III for code list.	X	ID 2/2
			LB		Pound

Segment:	TD5 Carrier Details (Routing Sequence/Transit Time)
Position:	120
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	12
Purpose:	To specify the carrier and sequence of routing and provide transit time information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of TD502 TD504 TD505 TD506 or TD512 is required. 2 If TD502 is present, then TD503 is required. 3 If TD507 is present, then TD508 is required. 4 If TD510 is present, then TD511 is required. 5 If TD513 is present, then TD512 is required. 6 If TD514 is present, then TD513 is required. 7 If TD515 is present, then TD512 is required.
Semantic Notes:	1 TD515 is the country where the service is to be performed.
Comments:	1 When specifying a routing sequence to be used for the shipment movement in lieu of specifying each carrier within the movement, use TD502 to identify the party responsible for defining the routing sequence, and use TD503 to identify the actual routing sequence, specified by the party identified in TD502.
Notes:	<p>This segment is used to specify every carrier in the routing sequence or a specific routing sequence that has been previously identified (usually from a routing guide). The segment can also be used to indicate estimated transit time in days. Only use TD501 if needed for clarity; this is not a requirement in most retail applications. When referring to a pre-established routing guide, use code 91 or 92 in TD502 and identify the routing sequence, from the routing guide, in TD503. To identify a specific private parcel service, TD502 will contain code 2 and TD503 will contain the corresponding SCAC. TD510 and TD511 are used to specify transit time.</p> <p>When using a small package service provider as the carrier, TD502 will contain code 2, TD503 will contain the carrier's SCAC, and TD504 will contain code U to inform the receiver of a small package service shipment.</p>

Example:

TD5*O*2*CENF***CC~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	TD501	133 Routing Sequence Code Code describing the relationship of a carrier to a specific shipment movement O Origin Carrier (Air, Motor, or Ocean)	O ID 1/2
Must Use	TD502	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 2 Standard Carrier Alpha Code (SCAC)	X ID 1/2
Must Use	TD503	67 Identification Code Code identifying a party or other code	X AN 2/80
	TD505	387 Routing Free-form description of the routing or requested routing for shipment, or the originating carrier's identity	X AN 1/35
	TD506	368 Shipment/Order Status Code Code indicating the status of an order or shipment or the disposition of any difference between the quantity ordered and the quantity shipped for a line item or transaction BK Back Ordered from Previous Order BP Shipment Partial, Back Order to Ship on (Date) CC Shipment Complete on (Date) CM Shipment Complete with Additional Quantity CP Partial Shipment on (Date), Considered No Backorder	X ID 2/2

CS	Shipment Complete with Substitution
DE	Deleted Order
IC	Item Canceled
IS	Item Represents Substitution from Original Order
PR	Partial Shipment
SS	Split Shipment

Segment: TD3 Carrier Details (Equipment)

- Position:** 130
- Loop:** HL Mandatory
- Level:** Detail
- Usage:** Optional (**Must use for Import Shipments**)
- Max Use:** 12
- Purpose:** To specify transportation details relating to the equipment used by the carrier
- Syntax Notes:**
 - 1 Only one of TD301 or TD310 may be present.
 - 2 If TD302 is present, then TD303 is required.
 - 3 If TD304 is present, then TD305 is required.
 - 4 If either TD305 or TD306 is present, then the other is required.

Semantic Notes:

Comments: Must use for all Import Shipments

Notes: This segment is used to specify the trailer number for a truckload shipment.

Example:

TD3*TL*GESU*6449647~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	TD301	40	Equipment Description Code Code identifying type of equipment used for shipment CV Closed Van FT Flat Bed Trailer RT Controlled Temperature Trailer (Reefer) TL Trailer (not otherwise specified)	X ID 2/2
Must Use	TD302	206	Equipment Initial Prefix or alphabetic part of an equipment unit's identifying number	X AN 1/4
Must Use	TD303	207	Equipment Number Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	X AN 1/10

Segment: **REF** Reference Identification
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes: In some cases, individual shipments with bill of lading may be grouped under a Master Bill of Lading. Under this circumstance, specifying both the bill of lading and the associated Master Bill of Lading Number will facilitate tracking.

Example:

REF*BM*13828700000A~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification BM Bill of Lading Number	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment: REF Reference Identification

Position:	150
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	>1
Purpose:	To specify identifying information
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of REF02 or REF03 is required. 2 If either C04003 or C04004 is present, then the other is required. 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 REF04 contains data relating to the value cited in REF02.
Comments:	
Notes:	Shipping Routing Request (SRR) is generated from Boscov's TMS System to route all our inbound shipments.

Example:

REF*LO*123456~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification LO Shipping Routing Request	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment: **REF** Reference Identification
Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:
Notes:

Example:

REF*CN*1382870000A~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification CN Carrier's Reference Number (PRO/Invoice)	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment:DTM Date/Time Reference

Position: 200
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:
Comments:

Example:

DTM*011*20000202~

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 011 Shipped	M ID 3/3
Must Use	DTM02	373	Date Date expressed as CCYYMMDD	X DT 8/8

Segment:DTM Date/Time Reference

Position: 200
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:
Comments:

Example:

DTM*067*20000202~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time 067 Current Schedule Delivery	M ID 3/3
Must Use	DTM02	373	Date Date expressed as CCYYMMDD	X DT 8/8

Segment:	FOB F.O.B. Related Instructions
Position:	210
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify transportation instructions relating to shipment
Syntax Notes:	<ol style="list-style-type: none"> 1 If FOB03 is present, then FOB02 is required. 2 If FOB04 is present, then FOB05 is required. 3 If FOB07 is present, then FOB06 is required. 4 If FOB08 is present, then FOB09 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 FOB01 indicates which party will pay the carrier. 2 FOB02 is the code specifying transportation responsibility location. 3 FOB06 is the code specifying the title passage location. 4 FOB08 is the code specifying the point at which the risk of loss transfers. This may be different than the location specified in FOB02/FOB03 and FOB06/FOB07.
Comments:	

Example:
FOB*PP~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	FOB01	146	Shipment Method of Payment Code identifying payment terms for transportation charges CC Collect CF Collect, Freight Credited Back to Customer DF Defined by Buyer and Seller PC Prepaid but Charged to Customer PO Prepaid Only PP Prepaid (by Seller) TP Third Party Pay	M ID 2/2
	FOB02	309	Location Qualifier Code identifying type of location OR Origin (Shipping Point)	X ID 1/2
	FOB04	334	Transportation Terms Qualifier Code Code identifying the source of the transportation terms 01 Incoterms See External Code Source 35 in Section III for the source reference document of INCOTERMS codes, which will appear in FOB05.	O ID 2/2
	FOB05	335	Transportation Terms Code Code identifying the trade terms which apply to the shipment transportation responsibility Refer to 004010VICS Data Element Dictionary for acceptable code values.	X ID 3/3

Segment: N1 Name

Position:	220
Loop:	N1 Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	N103 and N104 are required except when N101 contains code MA or OB.

When the ship to is the end consumer (customer of retailer), N103 and N104 are not required.;

In some EDI implementations, it may be necessary to identify the sender and/or receiver of the transaction set within each transaction set. To identify the sender of the transaction set, N101 will contain code FR, N103 will contain code 93, and N104 will contain the actual identification number. To identify the receiver of the transaction set, N101 will contain code TO, N103 will contain code 94, and N104 will contain the actual identification number. These four codes may be used only in the combination listed above and may be used only to identify the sender and/or receiver of the transaction set.

Example:

N1*SF**1*123456789~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual SF Ship From	M ID 2/3
Must Use	N102	93 Name Free-form name	X AN 1/60
	N103	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 ID-U-N-S Number, Dun & Bradstreet 91 Assigned by Seller	X ID 1/2
	N104	67 Identification Code Code identifying a party or other code This is the location code as defined by N103. The location code may be a formal number, e.g., DUNS, or it may be assigned by either the buyer or seller. The location refers to a store, warehouse, distribution center, plant, etc. Location codes are used to alleviate the need to send complete names and addresses.	X AN 2/80

Segment: **N3** Address Information
Position: 240
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Example:

N3*100 MAIN ST~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/55
	N302	166	Address Information Address information	O AN 1/55

Segment:	N4 Geographic Location
Position:	250
Loop:	N1 Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify the geographic place of the named party
Syntax Notes:	1 If N406 is present, then N405 is required.
Semantic Notes:	
Comments:	1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location. 2 N402 is required only if city name (N401) is in the U.S. or Canada.
Notes:	N401 and N402 are required unless N405 and N406 are used.

Example:

N4*SAN FRANCISCO*CA*94111~

Data Element Summary

	Ref.	Data		Attributes
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	N401	19	City Name Free-form text for city name	O AN 2/30
Must Use	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
Must Use	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/15
	N404	26	Country Code Code identifying the country	O ID 2/3

Segment: N1 Name

- Position:** 220
- Loop:** N1 Optional
- Level:** Detail
- Usage:** Optional (Must Use)
- Max Use:** 1
- Purpose:** To identify a party by type of organization, name, and code
- Syntax Notes:**
 - 1 At least one of N102 or N103 is required.
 - 2 If either N103 or N104 is present, then the other is required.
- Semantic Notes:**
- Comments:**
 - 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 - 2 N105 and N106 further define the type of entity in N101.

Example:

N1*ST*BOSCOV*92*00015~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual ST Ship To	M ID 2/3
	N102	93	Name Free-form name	X AN 1/60
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 92 Assigned by Buyer or Buyer's Agent	X ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code Boscov's five digit store number (may have leading zeroes).	X AN 2/80

Segment: **N3** Address Information
Position: 240
Loop: N1 Optional
Level: Detail
Usage: Optional
Max Use: 2
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:

Example:

N3*100 MAIN ST~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/55
	N302	166	Address Information Address information	O AN 1/55

Segment:	N4 Geographic Location
Position:	250
Loop:	N1 Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify the geographic place of the named party
Syntax Notes:	1 If N406 is present, then N405 is required.
Semantic Notes:	
Comments:	1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location. 2 N402 is required only if city name (N401) is in the U.S. or Canada.
Notes:	N401 and N402 are required unless N405 and N406 are used.

Example:

N4*SAN FRANCISCO*CA*94111~

Data Element Summary

	Ref.	Data		Attributes
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	
Must Use	N401	19	City Name Free-form text for city name	O AN 2/30
Must Use	N402	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
Must Use	N403	116	Postal Code Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	O ID 3/15
	N404	26	Country Code Code identifying the country	O ID 2/3

Segment: **HL** Hierarchical Level - Order
Position: 010
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:**Semantic Notes:****Comments:**

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Notes:

The HL segment is used to identify levels of detail information using a hierarchical structure.

HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Example:

HL*2*1*O~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	HL01	628 Hierarchical ID Number A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	M AN 1/12
Must Use	HL02	734 Hierarchical Parent ID Number Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	O AN 1/12
Must Use	HL03	735 Hierarchical Level Code Code defining the characteristic of a level in a hierarchical structure	M ID 1/2
	HL04	736 Hierarchical Child Code Code indicating if there are hierarchical child data segments subordinate to the level being described Refer to 004010VICS Data Element Dictionary for acceptable code values.	O ID 1/1

Segment: **PRF** Purchase Order Reference
Position: 050
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To provide reference to a specific purchase order
Syntax Notes:
Semantic Notes: 1 PRF04 is the date assigned by the purchaser to purchase order.
Comments:

Example:

PRF*835490***20000114~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	PRF01	324	Purchase Order Number Identifying number for Purchase Order assigned by the orderer/purchaser Boscov's 6-digit purchase order number (may use leading zeros)	M AN 1/22
	PRF04	373	Date Date expressed as CCYYMMDD Retailer's original purchase order date	O DT 8/8

Segment: REF Reference Identification

Position: 150
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

Example:

REF*DP*00131~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification DP Department Number	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier Boscov's 5 digit Department Number (must use leading zeroes).	X AN 1/30

Segment: **REF** Reference Identification

- Position:** 150
- Loop:** HL Mandatory
- Level:** Detail
- Usage:** Optional
- Max Use:** >1
- Purpose:** To specify identifying information
- Syntax Notes:**
 - 1 At least one of REF02 or REF03 is required.
 - 2 If either C04003 or C04004 is present, then the other is required.
 - 3 If either C04005 or C04006 is present, then the other is required.
- Semantic Notes:**
 - 1 REF04 contains data relating to the value cited in REF02.
- Comments:**

Example:

REF*IV*807764626~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification IV Seller's Invoice Number	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment:	N1 Name
Position:	220
Loop:	N1 Optional
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	There will be at least one occurrence, of this segment, to identify the buying party by using code BY in N101.

Example:

N1*BY**92*00014~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual	
		BY Buying Party (Purchaser)	
	N102	93 Name	X AN 1/60
		Free-form name	
Must Use	N103	66 Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67)	
		92 Assigned by Buyer or Buyer's Agent	
Must Use	N104	67 Identification Code	X AN 2/80
		Code identifying a party or other code	
		Boscov's five digit store # (must use leading zeroes).	

Segment: **HL** Hierarchical Level - Tare
Position: 010
Loop: HL Mandatory
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:**Semantic Notes:****Comments:**

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Notes:

The HL segment is used to identify levels of detail information using a hierarchical structure.

HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Example:

HL*3*2*T~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	HL01	628 Hierarchical ID Number A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	M AN 1/12
Must Use	HL02	734 Hierarchical Parent ID Number Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	O AN 1/12
Must Use	HL03	735 Hierarchical Level Code Code defining the characteristic of a level in a hierarchical structure T Shipping Tare	M ID 1/2
	HL04	736 Hierarchical Child Code Code indicating if there are hierarchical child data segments subordinate to the level being described Refer to 004010VICS Data Element Dictionary for acceptable code values.	O ID 1/1

Segment:	TSD Trailer Shipment Details
Position:	145
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To specify details of shipments on a trailer
Syntax Notes:	
Semantic Notes:	1 TSD01 indicates the loading sequence and relative shipment position on the trailer.
Comments:	
Notes:	This segment may be used to indicate the location of the pallet within the trailer/container.

Example:
TSD*001*1

Data Element Summary			
Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>		
	350	Assigned Identification	O AN 1/20
		Alphanumeric characters assigned for differentiation within a transaction set	
		Indicates the loading sequence	
Must Use	TSD02	219 Position	O AN 1/3
		Relative position of shipment in car, trailer, or container (mutually defined)	
		1 First quarter of the trailer/container	
		2 Second quarter of the trailer/container	
		3 Third quarter of the trailer/container	
		4 Fourth quarter of the trailer/container	

Segment:	MAN Marks and Numbers
Position:	190
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To indicate identifying marks and numbers for shipping containers
Syntax Notes:	<ol style="list-style-type: none"> 1 If either MAN04 or MAN05 is present, then the other is required. 2 If MAN06 is present, then MAN05 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container. 2 When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range. 3 When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.
Comments:	<ol style="list-style-type: none"> 1 When MAN01 contains code "UC" (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06. 2 MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.
Notes:	This segment, at the tare level, is used to specify the identification numbers for the pallet.;

Example:

MAN*GM*00107000320000113901~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	MAN01	88	Marks and Numbers Qualifier	M ID 1/2
			Code specifying the application or source of Marks and Numbers (87)	
			CP Customer Package – UPS Tracking Number	
			GM SSCC-18 and Application Identifier	
			This is a twenty-character UCC/EAN-128 Serial Shipping Container Code (SSCC-18) that includes the two digit application identifier. The symbology code and the modulo 103 check digit are not included.	
Must Use	MAN02	87	Marks and Numbers	M AN 1/48
			Marks and numbers used to identify a shipment or parts of a shipment	

Segment: **PAL** Pallet Information**Position:** 215**Loop:** HL Mandatory**Level:** Detail**Usage:** Optional**Max Use:** 1**Purpose:** To identify the type and physical attributes of the pallet, and, gross weight, gross volume, and height of the load and the pallet

- Syntax Notes:**
- 1 If either PAL05 or PAL06 is present, then the other is required.
 - 2 If PAL07 is present, then PAL10 is required.
 - 3 If PAL08 is present, then PAL10 is required.
 - 4 If PAL09 is present, then PAL10 is required.
 - 5 If PAL10 is present, then at least one of PAL07 PAL08 or PAL09 is required.
 - 6 If either PAL11 or PAL12 is present, then the other is required.
 - 7 If either PAL13 or PAL14 is present, then the other is required.

- Semantic Notes:**
- 1 PAL04 (Pack) is the number of pieces on the pallet.
 - 2 PAL05 (Unit Weight) is the weight of the pallet alone, before loading.
 - 3 PAL07 and PAL08 (Length and Width) are the dimensions of the pallet before loading.
 - 4 PAL09 (Height) is the height of the pallet and load.
 - 5 PAL11 and PAL13 (Gross Weight and Gross Volume) are measured after loading and includes the pallet.

Comments:**Example:**

PAL*4*4*9*36

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	PAL01	883	Pallet Type Code Code indicating the type of pallet 4 Standard	O ID 1/2
	PAL02	884	Pallet Tiers The number of layers per pallet	O N0 1/3
	PAL03	885	Pallet Blocks The number of pieces (cartons) per layer on the pallet	O N0 1/3
Must Use	PAL04	356	Pack The number of inner containers, or number of eaches if there are no inner containers, per outer container Number of cartons on pallet	O N0 1/6

Segment: **HL** Hierarchical Level - Pack
Position: 010
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:**Semantic Notes:****Comments:**

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Notes:

The HL segment is used to identify levels of detail information using a hierarchical structure.

HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Example:

HL*4*3*P~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	HL01	628 Hierarchical ID Number A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	M AN 1/12
Must Use	HL02	734 Hierarchical Parent ID Number Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	O AN 1/12
Must Use	HL03	735 Hierarchical Level Code Code defining the characteristic of a level in a hierarchical structure P Pack	M ID 1/2
	HL04	736 Hierarchical Child Code Code indicating if there are hierarchical child data segments subordinate to the level being described Refer to 004010VICS Data Element Dictionary for acceptable code values.	O ID 1/1

Segment:	MAN Marks and Numbers
Position:	190
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	>1
Purpose:	To indicate identifying marks and numbers for shipping containers
Syntax Notes:	<ol style="list-style-type: none"> 1 If either MAN04 or MAN05 is present, then the other is required. 2 If MAN06 is present, then MAN05 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 MAN01/MAN02 and MAN04/MAN05 may be used to identify two different marks and numbers assigned to the same physical container. 2 When both MAN02 and MAN03 are used, MAN02 is the starting number of a sequential range and MAN03 is the ending number of that range. 3 When both MAN05 and MAN06 are used, MAN05 is the starting number of a sequential range, and MAN06 is the ending number of that range.
Comments:	<ol style="list-style-type: none"> 1 When MAN01 contains code "UC" (U.P.C. Shipping Container Code) and MAN05/MAN06 contain a range of ID numbers, MAN03 is not used. The reason for this is that the U.P.C. Shipping Container code is the same on every carton that is represented in the range in MAN05/MAN06. 2 MAN03 and/or MAN06 are only used when sending a range(s) of ID numbers. When both MAN02/MAN03 and MAN05/MAN06 are used to send ranges of ID numbers, the integrity of the two ID numbers must be maintained.
Notes:	When the shipping container is the same as the consumer unit, the U.P.C. may be the only UCC identification code on the container. In many applications, it is necessary to positively identify what identification code is to be scanned and matched at point of receipt. Since the U.P.C. is not a unique serial shipping container code, only one pack level for each item is required when using the pick and pack structure. The total number of shipping units for this item is the same as the quantity for the item in the SN1 segment at the item level.

Example:

MAN*GM*00007000320000113906~

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	MAN01	88	Marks and Numbers Qualifier Code specifying the application or source of Marks and Numbers (87) GM	M ID 1/2 SSCC-18 and Application Identifier This is a twenty-character UCC/EAN-128 Serial Shipping Container Code (SSCC-18) that includes the two digit application identifier. The symbology code and the modulo 103 check digit are not included.
Must Use	MAN02	87	Marks and Numbers Marks and numbers used to identify a shipment or parts of a shipment	M AN 1/48

Segment: **HL** Hierarchical Level - Item
Position: 010
Loop: HL Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Syntax Notes:**Semantic Notes:****Comments:**

- 1 The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
The HL segment defines a top-down/left-right ordered structure.
- 2 HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 3 HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 4 HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 5 HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL segment.

Notes:

The HL segment is used to identify levels of detail information using a hierarchical structure.

HL01 shall contain a unique number for each occurrence of the HL segment within the transaction set. The value assigned to the first HL segment will be 1, and is incremented by one for each subsequent HL segment within the transaction set.

HL02 identifies the hierarchical ID of the HL segment to which it is subordinate (child of). HL02 will be omitted for the first occurrence of the HL segment in the transaction set, since it has no parent. HL03 identifies the application content of the series of segments following the current HL segment up to the next occurrence of an HL segment, or the CTT or SE segment, e.g., Shipment, Unit Load, Order, Tare, Pack and Item.

Example:

HL*5*4*I~

Data Element Summary

	Ref.	Data	Attributes
	Des.	Element Name	
Must Use	HL01	628 Hierarchical ID Number A unique number assigned by the sender to identify a particular data segment in a hierarchical structure	M AN 1/12
Must Use	HL02	734 Hierarchical Parent ID Number Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to	O AN 1/12
Must Use	HL03	735 Hierarchical Level Code Code defining the characteristic of a level in a hierarchical structure	M ID 1/2
	HL04	736 Hierarchical Child Code Code indicating if there are hierarchical child data segments subordinate to the level being described Refer to 004010VICS Data Element Dictionary for acceptable code values.	O ID 1/1

Segment:	LIN Item Identification
Position:	020
Loop:	HL Mandatory
Level:	Detail
Usage:	Optional (Must Use)
Max Use:	1
Purpose:	To specify basic item identification data
Syntax Notes:	<ol style="list-style-type: none"> 1 If either LIN04 or LIN05 is present, then the other is required. 2 If either LIN06 or LIN07 is present, then the other is required. 3 If either LIN08 or LIN09 is present, then the other is required. 4 If either LIN10 or LIN11 is present, then the other is required. 5 If either LIN12 or LIN13 is present, then the other is required. 6 If either LIN14 or LIN15 is present, then the other is required. 7 If either LIN16 or LIN17 is present, then the other is required. 8 If either LIN18 or LIN19 is present, then the other is required. 9 If either LIN20 or LIN21 is present, then the other is required. 10 If either LIN22 or LIN23 is present, then the other is required. 11 If either LIN24 or LIN25 is present, then the other is required. 12 If either LIN26 or LIN27 is present, then the other is required. 13 If either LIN28 or LIN29 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes:	1 LIN01 is the line item identification
Comments:	<ol style="list-style-type: none"> 1 See the Data Dictionary for a complete list of IDs. 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes:	The codes listed for LIN02 apply to every occurrence of Data Element 235 in the LIN segment. See Section III for complete U.P.C. and EAN code definitions.

Example:

LIN**UP*700032591261*VA*20191~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	LIN02	235	Product/Service ID Qualifier	M ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			EN European Article Number (EAN) (2-5-5-1)	
			SZ Vendor Alphanumeric Size Code (NRMA)	
			UP U.P.C. Consumer Package Code (1-5-5-1)	
			VA Vendor's Style Number	
			VE Vendor Color	
Must Use	LIN03	234	Product/Service ID	M AN 1/48
			Identifying number for a product or service	
	LIN04	235	Product/Service ID Qualifier	X ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
			EN European Article Number (EAN) (2-5-5-1)	
			SZ Vendor Alphanumeric Size Code (NRMA)	
			UP U.P.C. Consumer Package Code (1-5-5-1)	
			VA Vendor's Style Number	
			VE Vendor Color	
	LIN05	234	Product/Service ID	X AN 1/48
			Identifying number for a product or service	
	LIN06	235	Product/Service ID Qualifier	X ID 2/2
			Code identifying the type/source of the descriptive number used in	

		Product/Service ID (234)		
		EN	European Article Number (EAN) (2-5-5-1)	
		SZ	Vendor Alphanumeric Size Code (NRMA)	
		UP	U.P.C. Consumer Package Code (1-5-5-1)	
		VA	Vendor's Style Number	
		VE	Vendor Color	
LIN07	234	Product/Service ID		X AN 1/48
		Identifying number for a product or service		
LIN08	235	Product/Service ID Qualifier		X ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		EN	European Article Number (EAN) (2-5-5-1)	
		SZ	Vendor Alphanumeric Size Code (NRMA)	
		UP	U.P.C. Consumer Package Code (1-5-5-1)	
		VA	Vendor's Style Number	
		VE	Vendor Color	
LIN09	234	Product/Service ID		X AN 1/48
		Identifying number for a product or service		
LIN10	235	Product/Service ID Qualifier		X ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
		EN	European Article Number (EAN) (2-5-5-1)	
		SZ	Vendor Alphanumeric Size Code (NRMA)	
		UP	U.P.C. Consumer Package Code (1-5-5-1)	
		VA	Vendor's Style Number	
		VE	Vendor Color	
LIN11	234	Product/Service ID		X AN 1/48
		Identifying number for a product or service		

Segment: **SN1** Item Detail (Shipment)
Position: 030
Loop: HL Mandatory
Level: Detail
Usage: Optional (Must Use)
Max Use: 1
Purpose: To specify line-item detail relative to shipment
Syntax Notes: 1 If either SN105 or SN106 is present, then the other is required.
Semantic Notes: 1 SN101 is the ship notice line-item identification.
Comments: 1 SN103 defines the unit of measurement for both SN102 and SN104.
Notes: This segment is used to specify the quantities associated with the item identified in the LIN at the item level.

When specifying an item, which is comprised of two or more components that are in unique shipping containers, SN103 will contain code ST for set and the quantity specified in SN102 is the number of sets as identified in the LIN segment. Each different component is identified in one pack level. See the VICS Note, on the SLN segment, at the pack level.

Example:
 SN1**1*EA~

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	SN101	350	Assigned Identification	O AN 1/20
Must Use	SN102	382	Number of Units Shipped	M R 1/10
Must Use	SN103	355	Unit or Basis for Measurement Code	M ID 2/2
			Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken	
			See Section III for code list.	
			CA	Case
			DZ	Dozens
			EA	Each
			PK	Pack
			PR	Pair

Segment: **CTT** Transaction Totals
Position: 010
Loop:
Level: Summary
Usage: Optional (Must Use)
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes: 1 If either CTT03 or CTT04 is present, then the other is required.
 2 If either CTT05 or CTT06 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment is intended to provide hash totals to validate transaction completeness and correctness.

Example:
 CTT*9~

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	CTT01	354	Number of Line Items	M NO 1/6
			Total number of line items in the transaction set	
			The number of HL segments present in the transaction set	

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Example:

SE*40*856000706~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set This must be the same number as is in the ST segment (ST02) for the transaction set.	M AN 4/9

Segment: **GE** Functional Group Trailer
Position: 030
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of a functional group and to provide control information
Syntax Notes:
Semantic Notes: 1 The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.
Comments: 1 The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	GE01	97	Number of Transaction Sets Included Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M N0 1/6
Must Use	GE02	28	Group Control Number Assigned number originated and maintained by the sender	M N0 1/9

Segment: **IEA** Interchange Control Trailer
Position: 040
Loop:
Level:
Usage: Mandatory
Max Use: 1
Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	IEA01	I16	Number of Included Functional Groups A count of the number of functional groups included in an interchange	M N0 1/5
Must Use	IEA02	I12	Interchange Control Number A control number assigned by the interchange sender	M N0 9/9

Example

Sample Ship Notice/Manifest Transaction

ST*856*856000706~
 BSN*00*007111*20001031*0745*0001~
 HL*1**S~
 TD1*BAG*7***G*147*LB~
 TD5*O*2*CENF~
 TD3*TL**123456~
 REF*BM*13828700000A~
 REF*LO*123456~
 DTM*011*20000202~
 DTM*067*20000202~
 FOB*PP~
 N1*ST*BOSCOV*92*00015~
 HL*2*1*O~
 PRF*835490***20000114~
 REF*DP*00482~
 REF*IV*807764626~
 N1*BY**92*00014~
 HL*3*2*T~
 TSD*001*1~
 MAN*GM*00107000320000113901~
 PAL*4*4*9*36~
 HL*4*3*P~
 MAN*GM*00007000320000113906~
 HL*5*4*I~
 LIN**UP*700032591261*VA*20191~
 SN1**1*EA~
 HL*6*2*T~
 MAN*GM*00107000320000113831~
 HL*7*6*P~
 MAN*GM*00007000320000113838~
 HL*8*7*I~
 LIN**UP*700032591285*VA*20195~
 SN1**2*EA~
 HL*9*7*I~
 LIN**UP*700032591339*VA*20205~
 SN1**1*EA~
 CTT*9~
 SE*40*856000706~